



-
-
-
-
-
-
-
-

/ (19/31)

4.
4.1

- (26)
- (24)

(24).



4.2

(30)

5.
5.1

- (25)
- (19)

5.2

- (34).



-

- 30



-
-
-
-
-
-
-
-

/ (19/31)

6.
6.1

- (1)

°C /°F / - ALON /OFF / +
WEATHER








-
-
-
-


6-8

WEATHER

3

6.2

•  SEARCH 3

• OUT 3

• (4/5)

• MEM 24

• MEM MEM /

• MEM

• 15 MEM 3

Celsius / Fahrenheit

• °C /°F / - °C °F) HH.H(


• , LL.L (

• 20% 99%.


• 24 20%

• 20%

• ALERT 3


•  °C /°F / - AL ON /OFF / +

• ALERT

•  °C /°F / - AL ON /OFF / +

• ALERT

• ALERT

• ALERT 

• ALERT 

ALERT



ALERT

ALERT

6.3

DCF

DCF	
	DCF
	-
	-



DCF

3:00

°C /°F / -

AL ON /OFF / +

DCF



5

°C /°F / -

AL ON /OFF / +

3



DST



DCF

3

DCF

+3

TIME SET / MODE

TIME /SET MODE

3

12/24

°C /°F / -

AL ON /OFF / +

SET / MODE.

15



°C /°F / -

AL ON /OFF / +

00



(ES),

(FR)

(GE),

(EN),

(RU),

(DA),

(NE),

(IT),

TIME SET / MODE

AL

TIME SET / MODE

3

°C /°F / -

AL ON /OFF / +

TIME SET / MODE.

AL ON /OFF / +

/

/



- Snooze

SNOOZE / LIGHT

7

6.4

-
-
-

DIMMER HI/LO HI
DIMMER HI/LO LO
SNOOZE / LIGHT 5



(DIMMER HI/LO) HI

6.5

/



-

/

6.6

RESET

7.

-
-

°C /°F / - °C °F
RESET



8.

9.

Hama GmbH & Co KG

/

10.

Hama.

+499091502-115 (German / English).

www.hama.com

11.

	4.5 V 3x AA 230 V	3.0 V 2xAAA
(°C)	0 °C - +45 °C -10 °C - +50 °C 20% - 99%	-20 °C - +50 °C 20% - 99%
DCF		
	195 x 28 x 121	62 x 23 x 101
	433MHz	
	30	



2002/96/EU 2006/66/EU